Mesin Pemuntir Genggam Portabel Semi-Otomatis WPM-NX3612AJ

Model No. WPM-NX3612AJ



SPECIFICATIONS

Model Number	WPM-NX3612AJ
Tegangan Kerja	220V
Daya	500W
Kecepatan Putar	1200 rpm
Berat	2.5 kg
Dimensi	300x150x100 mm

Mesin memutar genggam, mesin memutar semi-otomatis, alat memutar manual, mesin memutar listrik, mesin memutar multi-untai

Parameter teknis**:**

tegangan kerja	Adaptor daya	Ukuran **(mm)**	Berat **(g)**	Panjang kabel (m)	Panjang koneksi sakelar kaki **(m)**
DC 24V	Masukan daya: AC100-240V / 50 / 60Hz, Keluaran: DC24V	Panjang: 248.0 OD Maks: 51.0	535.0	1.2+2.0 (Saluran kabel + saluran ekstensi)	2.0
Ke kawat diameter lubang (mm)	Properti kawat bengkok	**Panjang inti kawat (mm)**	Luas penampang maksimum kawat bengkok **(mm^2)**	Luas penampang minimum garis bengkok **(mm^2)**	Mode operasi
8/12	Terapkan pada kabel fleksibel multi-inti	10-20	4.0	0.3	Tekan tangan/ tekan kaki

Handheld desktop dual-purpose electric twisting machine

Multi-strands are used in parallel / can be tightened in half a second / high efficiency



Continuous copper wire Tighten the wire	easy to use Twisting is not tired
efficient Twisting	No hidden danger Non-flying copper wire




Portable mobile twisting tool

Φ13mm large-diameter screw thread opening, adapt to the thickness of the wire diameter, the transparent cover can be removed to make the opening wider

Good twisting quality	Lightweight and compact	Flexible operation	Strong applicability

6 PRODUCT FEATURES

Say goodbye to the problems of hand-tightening, tired and slow screwing



01
Suitable for multi-strand parallel operation, twisted wires within 30mm in length

02
Desktop fixed use with foot switch operation is flexible, and the operation of the entrance port is more convenient

03
Hanging and handheld use does not occupy the position of the console

04
Simple assembly line operation

05
New grip artificial mechanics design

06
Replace manual threading to improve efficiency

Handheld desktop dual-purpose electric twisting machine

Twisted wire range: wire length within 30mm
Multi-strand cord ≤30mm²



1 strand, 2 strands, 3 strands, 4 strands, 5 strands, and multiple strands of copper core cords can be automatically tightened








Hanging hook
Pedal edge wiring
Body
Manual switch
power cable
transparent lid
Twisting port

Sample display

This machine supports 1 strand, 2 strands, 3 strands, 4 strands, 5 strands, and multiple strands of copper core cords to be twisted together







Product details





Manual switch

Touch the button switch, tighten the thread in half a second, it's so fast

Twisting clamp

You can put multiple copper core wires into the twisting clamp, touch the button switch to complete the twisting






Hanging hook

Hanging and handheld use does not occupy the position of the console

Adjustable voltage

The voltage of the power adapter can be adjusted to a suitable value according to the wire specification, the smaller the wire diameter, and the larger the smaller diameter.





Desktop use

It can be fixed on the desktop, with a foot switch for flexible operation

transparent lid

The twisting machine port has a transparent cover that can be removed, and the transparent cover is larger.



Parts List



FAQ

Masukan daya apa yang diterima Mesin Pemuntir Kabel Genggam Semi-Otomatis WPM-NX3612AJ?

Masukan daya adalah AC100-240V pada 50/60Hz, dengan keluaran DC24V. Rentang AC yang lebar berarti mesin dapat digunakan di wilayah dengan voltase jaringan berbeda tanpa transformator terpisah.

Apa dimensi fisik Mesin Pemuntir Kabel Genggam WPM-NX3612AJ?

Mesin ini memiliki panjang 248.0 dan OD maksimum 51.0. Format genggam yang ringkas ditujukan untuk pekerjaan pemuntiran yang dilakukan langsung pada harness dan bukan di stasiun meja tetap.

Dapatkah Mesin Pemuntir Kabel Genggam Semi-Otomatis WPM-NX3612AJ berjalan pada voltase jaringan yang berbeda?

Ya. Mesin menerima AC100-240V pada 50/60Hz dan mengubahnya menjadi keluaran DC24V. Rentang masukan universal ini cocok untuk pemuntiran kabel semi-otomatis di bengkel yang beroperasi pada voltase jaringan rendah maupun tinggi.